

SCREW-DRIVING TOOLS



DRIVE SYSTEMS



HEX
HEX-socket (hexagonal) drive.



PH
Philips drive.



PZ
Pozi drive.



SL
Slotted drive.



SP
Spanner drive.



SQD
Square drive (Robertson).



TS
Torq-set drive.



TW
Tri-wing drive.



TX
Torx drive.



XZN
Tri-square drive.

APPLICATIONS



Reduced
Bits with reduced diameter are ideal for driving screws below the surface of drywall.



Tapered
Torx bits with tapered design avoid "drop-offs" due to increased grip on screw.



Torsion
Torsion bits redirect torsion peaks to the reduced shank preventing damage to the bit or fastener.



MIROSTA STAINLESS INOX
Stainless steel bits when any residues of carbon steel (that can rust) are prohibited, ie. food industry.

QUALITIES



ECO
Economy type



PRO
Professional type



Execution: BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€/ pc
PH 0	25	10	800.0000	0,50
PH 1	25	10	800.0001	0,50
PH 2	25	10	800.0002	0,50
PH 3	25	10	800.0003	0,50



Execution: BASIC Screwdriving bit with reduced tip.

Application: Ideal for screws for gypsum boards or so called trumpet screws.

Type	Length	PU	Item nr.	€/ pc
PH 2R	25	10	800.0005	0,55



Execution: TiN Screwdriving bit with reduced tip. TiN-coated for longer tool life.

Application: Ideal for screws for gypsum boards or so called trumpet screws.

Type	Length	PU	Item nr.	€/ pc
PH 2R	25	10	800.0006	1,25



Execution: ANTI-COR Stainless steel screwdriving bit.

Application: Ideal for working with stainless steel screws when any trace of rust needs to be avoided, typically facades, bath rooms, food industry, space and aviation, off-shore and environmental industries.

Type	Length	PU	Item nr.	€/ pc
PH 1	25	10	800.1001	2,05
PH 2	25	10	800.1002	2,05
PH 3	25	10	800.1003	2,05



Execution: TiN Screwdriving bit with TiN-coating for longer tool life.

Application: Ideal for automated production lines and in combination with power tools.

Type	Length	PU	Item nr.	€/ pc
PH 1	25	10	800.2001	1,55
PH 2	25	10	800.2002	1,55
PH 3	25	10	800.2003	1,55



Execution: DIAMOND Screwdriving bit. Excellent tool life!

Application: Special DIAMOND-coating results in very long and reliable tool life which makes this bit ideal the most heavy-duty industrial applications.

Type	Length	PU	Item nr.	€/ pc
PH 1	25	10	800.3001	2,97
PH 2	25	10	800.3002	2,97
PH 3	25	10	800.3003	2,97

801 PRO Bits | PH 25mm (Phillips) | Torsion



Execution: TORSION-BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€ / pc
PH 1	25	10	801.0001	1,20
PH 2	25	10	801.0002	1,20
PH 3	25	10	801.0003	1,20



Execution: TORSION-ANTI-COR Stainless steel screwdriving bit.

Application: Ideal for working with stainless steel screws when any trace of rust needs to be avoided, typically facades, bath rooms, food industry, space and aviation, off-shore and environmental industries.

Type	Length	PU	Item nr.	€ / pc
PH 1	25	10	801.1001	2,94
PH 2	25	10	801.1002	2,94
PH 3	25	10	801.1003	2,94



Execution: TORSION-TIN Screwdriving bit with TiN-coating for longer tool life.

Application: Ideal for automated production lines and in combination with power tools.

Type	Length	PU	Item nr.	€ / pc
PH 1	25	10	801.2001	2,46
PH 2	25	10	801.2002	2,46
PH 3	25	10	801.2003	2,46



Execution: TORSION-DIAMOND Screwdriving bit. Excellent tool life!

Application: Special DIAMOND-coating results in very long and reliable tool life which makes this bit ideal the most heavy-duty industrial applications.

Type	Length	PU	Item nr.	€ / pc
PH 1	25	10	801.3001	3,40
PH 2	25	10	801.3002	3,40
PH 3	25	10	801.3003	3,40

802 PRO Power bits | PH (Phillips)



Execution: BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€ / pc
PH 1	50	10	802.0001	1,17
PH 2	50	10	802.0002	1,17
PH 3	50	10	802.0003	1,17
PH 1	70	1	802.0004	1,80
PH 2	70	1	802.0005	1,80
PH 3	70	1	802.0006	1,80
PH 1	89	1	802.0007	2,27
PH 2	89	1	802.0008	2,27
PH 3	89	1	802.0009	2,27
PH 1	110	1	802.0010	3,95
PH 2	110	1	802.0011	3,95
PH 3	110	1	802.0012	3,95
PH 1	127	1	802.0013	4,25
PH 2	127	1	802.0014	4,25
PH 3	127	1	802.0015	4,25
PH 1	152	1	802.0016	5,50
PH 2	152	1	802.0017	5,50
PH 3	152	1	802.0018	5,50



Execution: BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€/ pc
PZ 1	25	10	803.0001	0,50
PZ 2	25	10	803.0002	0,50
PZ 3	25	10	803.0003	0,50



Execution: BASIC Screwdriving bit with reduced tip.

Type	Length	PU	Item nr.	€/ pc
PZ 2R	25	10	803.0005	0,72



Execution: TiN Screwdriving bit with reduced tip. TiN-coated for longer tool life.

Type	Length	PU	Item nr.	€/ pc
PZ 2R	25	10	803.0006	1,39



Execution: ANTI-COR Stainless steel screwdriving bit.

Application: Ideal for working with stainless steel screws when any trace of rust needs to be avoided, typically facades, bath rooms, food industry, space and aviation, off-shore and environmental industries.

Type	Length	PU	Item nr.	€/ pc
PZ 1	25	10	803.1001	1,92
PZ 2	25	10	803.1002	1,92
PZ 3	25	10	803.1003	1,92



Execution: TiN Screwdriving bit with TiN-coating for longer tool life.

Application: Ideal for automated production lines and in combination with power tools.

Type	Length	PU	Item nr.	€/ pc
PZ 1	25	10	803.2001	1,98
PZ 2	25	10	803.2002	1,98
PZ 3	25	10	803.2003	1,98



Execution: DIAMOND Screwdriving bit. Excellent tool life!

Application: Special DIAMOND-coating results in very long and reliable tool life which makes this bit ideal the most heavy-duty industrial applications.

Type	Length	PU	Item nr.	€/ pc
PZ 1	25	10	803.3001	2,97
PZ 2	25	10	803.3002	2,97
PZ 3	25	10	803.3003	2,97

804 PRO Bits | PZ 25mm (Pozi) | Torsion



Execution: TORSION-BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€ / pc
PZ 1	25	10	804.0001	1,00
PZ 2	25	10	804.0002	1,00
PZ 3	25	10	804.0003	1,00



Execution: TORSION-ANTI-COR Stainless steel screwdriving bit.

Application: Ideal for working with stainless steel screws when any trace of rust needs to be avoided, typically facades, bath rooms, food industry, space and aviation, off-shore and environmental industries.

Type	Length	PU	Item nr.	€ / pc
PZ 1	25	10	804.1001	2,40
PZ 2	25	10	804.1002	2,40
PZ 3	25	10	804.1003	2,40



Execution: TORSION-TIN Screwdriving bit with TiN-coating for longer tool life.

Application: Ideal for automated production lines and in combination with power tools.

Type	Length	PU	Item nr.	€ / pc
PZ 1	25	10	804.2001	2,46
PZ 2	25	10	804.2002	2,46
PZ 3	25	10	804.2003	2,46



Execution: TORSION-DIAMOND Screwdriving bit. Excellent tool life!

Application: Special DIAMOND-coating results in very long and reliable tool life which makes this bit ideal the most heavy-duty industrial applications.

Type	Length	PU	Item nr.	€ / pc
PZ 1	25	10	804.3001	3,33
PZ 2	25	10	804.3002	3,33
PZ 3	25	10	804.3003	3,33

805 Screw driving bits, PZ (Pozi), Power



Execution: BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€ / pc
PZ 1	50	10	805.0001	1,17
PZ 2	50	10	805.0002	1,17
PZ 3	50	10	805.0003	1,17
PZ 1	70	1	805.0004	1,81
PZ 2	70	1	805.0005	1,81
PZ 3	70	1	805.0006	1,81
PZ 1	89	1	805.0007	2,28
PZ 2	89	1	805.0008	2,28
PZ 3	89	1	805.0009	2,28
PZ 1	110	1	805.0010	3,95
PZ 2	110	1	805.0011	3,95
PZ 3	110	1	805.0012	3,95
PZ 1	127	1	805.0013	4,28
PZ 2	127	1	805.0014	4,28
PZ 3	127	1	805.0015	4,28
PZ 1	152	1	805.0016	5,76
PZ 2	152	1	805.0017	5,76
PZ 3	152	1	805.0018	5,76



Execution: BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€/ pc
T 5	25	10	806.0005	1,10
T 6	25	10	806.0006	1,10
T 7	25	10	806.0007	1,10
T 8	25	10	806.0008	1,10
T 9	25	10	806.0009	1,10
T 10	25	10	806.0010	0,99
T 15	25	10	806.0015	0,99
T 20	25	10	806.0020	0,99
T 25	25	10	806.0025	0,99
T 27	25	10	806.0027	0,99
T 30	25	10	806.0030	0,99
T 40	25	10	806.0040	0,99
T 45	25	10	806.0045	3,50
T 50	25	10	806.0050	3,75
T 55	25	10	806.0055	3,95



Execution: TiN Screwdriving bit with TiN-coating for longer tool life.

Application: Ideal for automated production lines and in combination with power tools.

Type	Length	PU	Item nr.	€/ pc
T 5	25	10	806.2005	2,15
T 6	25	10	806.2006	2,15
T 7	25	10	806.2007	2,15
T 8	25	10	806.2008	2,15
T 9	25	10	806.2009	2,15
T 10	25	10	806.2010	2,05
T 15	25	10	806.2015	2,05
T 20	25	10	806.2020	2,05
T 25	25	10	806.2025	2,05
T 30	25	10	806.2030	2,05
T 40	25	10	806.2040	2,05



Execution: DIAMOND Screwdriving bit. Excellent tool life!

Application: Special DIAMOND-coating results in very long and reliable tool life which makes this bit ideal the most heavy-duty industrial applications.

Type	Length	PU	Item nr.	€/ pc
T 10	25	10	806.3010	3,33
T 15	25	10	806.3015	3,33
T 20	25	10	806.3020	3,33
T 25	25	10	806.3025	3,33
T 30	25	10	806.3030	3,33
T 40	25	10	806.3040	3,33

807

PRO Bits | TX 25mm (Torx) | Torsion | 3° tapered



Execution: TORSION-BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€ / pc
T 10	25	10	807.0010	1,99
T 15	25	10	807.0015	1,99
T 20	25	10	807.0020	1,99
T 25	25	10	807.0025	1,99
T 30	25	10	807.0030	1,99
T 40	25	10	807.0040	1,99



Execution: TORSION-ANTI-COR Stainless steel screwdriving bit.

Application: Ideal for working with stainless steel screws when any trace of rust needs to be avoided, typically facades, bath rooms, food industry, space and aviation, off-shore and environmental industries.

Type	Length	PU	Item nr.	€ / pc
T 10	25	10	807.1010	3,40
T 15	25	10	807.1015	3,40
T 20	25	10	807.1020	3,40
T 25	25	10	807.1025	3,40
T 30	25	10	807.1030	3,40
T 40	25	10	807.1040	3,40



Execution: TORSION-TIN Screwdriving bit with TiN-coating for longer tool life.

Application: Ideal for automated production lines and in combination with power tools.

Type	Length	PU	Item nr.	€ / pc
T 10	25	10	807.2010	2,94
T 15	25	10	807.2015	2,94
T 20	25	10	807.2020	2,94
T 25	25	10	807.2025	2,94
T 30	25	10	807.2030	2,94
T 40	25	10	807.2040	2,94

808

PRO Power bits | TX (Torx)



Execution: BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€ / pc
T 10	50	10	808.0010	2,67
T 15	50	10	808.0015	2,67
T 20	50	10	808.0020	2,67
T 25	50	10	808.0025	2,67
T 27	50	10	808.0027	2,67
T 30	50	10	808.0030	2,67
T 40	50	10	808.0040	2,67
T 10	70	10	808.1010	4,08
T 15	70	10	808.1015	4,08
T 20	70	10	808.1020	4,08
T 25	70	10	808.1025	4,08
T 27	70	10	808.1027	4,08
T 30	70	10	808.1030	4,08
T 40	70	10	808.1040	4,08
T 10	89	1	808.2010	4,10
T 15	89	1	808.2015	4,10
T 20	89	1	808.2020	4,10
T 25	89	1	808.2025	4,10
T 27	89	1	808.2027	4,10
T 30	89	1	808.2030	4,10
T 40	89	1	808.2040	4,10

Type	Length	PU	Item nr.	€ / pc
T 10	110	1	808.3010	4,16
T 15	110	1	808.3015	4,16
T 20	110	1	808.3020	4,16
T 25	110	1	808.3025	4,16
T 27	110	1	808.3027	4,16
T 30	110	1	808.3030	4,16
T 40	110	1	808.3040	4,16
T 10	127	1	808.4010	5,90
T 15	127	1	808.4015	5,90
T 20	127	1	808.4020	5,90
T 25	127	1	808.4025	5,90
T 27	127	1	808.4027	5,90
T 30	127	1	808.4030	5,90
T 40	127	1	808.4040	5,90
T 10	152	1	808.5010	6,95
T 15	152	1	808.5015	6,95
T 20	152	1	808.5020	6,95
T 25	152	1	808.5025	6,95
T 27	152	1	808.5027	6,95
T 30	152	1	808.5030	6,95
T 40	152	1	808.5040	6,95

PRO Power bits | TX 50mm (Security-Torx) | Tamper-resistant



Execution: BASIC Screwdriving bit.

Application: Ideal for computers, home appliances, power tools, etc.

Type	Length	PU	Item nr.	€/ pc
T 10 H	50	10	808.7010	3,30
T 15 H	50	10	808.7015	3,30
T 20 H	50	10	808.7020	3,30
T 25 H	50	10	808.7025	3,30
T 30 H	50	10	808.7030	3,30
T 40 H	50	10	808.7040	3,30

809

PRO Bits | SQD 25mm (Square, Robertson)



Execution: BASIC Screwdriving bit.

Application: Production of recreational vehicles (RV's), air ducts and furniture.

Type	Length	PU	Item nr.	€/ pc
SQD 0	25	10	809.0000	0,75
SQD 1	25	10	809.0001	0,75
SQD 2	25	10	809.0002	0,75
SQD 3	25	10	809.0003	0,75

810

PRO Power bits | SQD (Square, Robertson)



Execution: BASIC Screwdriving bit.

Application: Production of recreational vehicles (RV's), air ducts and furniture.

Type	Length	PU	Item nr.	€/ pc
SQD 0	50	10	810.0000	1,57
SQD 1	50	10	810.0001	1,57
SQD 2	50	10	810.0002	1,57
SQD 3	50	10	810.0003	1,57
SQD 0	70	10	810.1000	2,20
SQD 1	70	10	810.1001	2,20
SQD 2	70	10	810.1002	2,20
SQD 3	70	10	810.1003	2,20
SQD 0	89	10	810.2000	2,97
SQD 1	89	10	810.2001	2,97
SQD 2	89	10	810.2002	2,97
SQD 3	89	10	810.2003	2,97

811

PRO Bits | Hex-socket 25mm (Allen)

ROTEC®



Execution: BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€ / pc
SW 2	25	10	811.0020	1,12
SW 2,5	25	10	811.0025	1,12
SW 3	25	10	811.0030	1,12
SW 4	25	10	811.0040	1,12
SW 5	25	10	811.0050	1,12
SW 6	25	10	811.0060	1,12
SW 7	25	10	811.0070	1,50
SW 8	25	10	811.0080	1,70
SW 10	25	10	811.0100	2,40

PRO Bits | Hex-socket 25mm (Allen) | Ball-end

ROTEC®



Execution: BASIC Screwdriving bit.

Application: For hard to reach screws and bolts with hex-socket drive. Max. axial angle is 25°.

Type	Length	PU	Item nr.	€ / pc
SW 2	25	10	811.1020	2,10
SW 2,5	25	10	811.1025	2,10
SW 3	25	10	811.1030	2,10
SW 4	25	10	811.1040	2,10
SW 5	25	10	811.1050	2,10
SW 6	25	10	811.1060	2,10

PRO Bits | Hex-socket 50mm (Allen)

ROTEC®



Execution: BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€ / pc
SW 2	50	10	811.2020	2,82
SW 2,5	50	10	811.2025	2,82
SW 3	50	10	811.2030	2,82
SW 4	50	10	811.2040	2,82
SW 5	50	10	811.2050	2,82
SW 6	50	10	811.2060	2,82
SW 8	50	10	811.2080	3,48

812

PRO Bits | SL 25mm (Slot)

ROTEC®



Execution: BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€ / pc
SL 0,5	25	10	812.0030	0,80
SL 0,6	25	10	812.0035	0,80
SL 0,8	25	10	812.0040	0,80
SL 1,0	25	10	812.0055	0,80
SL 1,2	25	10	812.0065	0,80
SL 1,6	25	10	812.0080	1,20

PRO Bits | SL 50mm (Slot)

ROTEC®



Execution: BASIC Screwdriving bit.

Type	Length	PU	Item nr.	€ / pc
SL 0,6	50	10	812.1035	1,88
SL 0,8	50	10	812.1040	1,88
SL 1,0	50	10	812.1055	1,88
SL 1,2	50	10	812.1065	1,88
SL 1,6	50	10	812.1080	2,78

813

PRO Bits | XZN 25mm (triple-square)

ROTEC®



Execution: BASIC Screwdriving bit.

Application: Automotive industry.

Type	Length	PU	Item nr.	€/ pc
XZN M 4	25	10	813.0004	1,32
XZN M 5	25	10	813.0005	1,32
XZN M 6	25	10	813.0006	1,32
XZN M 8	25	10	813.0008	2,52
XZN M 10	25	10	813.0010	2,52

814

PRO Bits | SP 25mm (Spanner, Snake-eye)

ROTEC®



Execution: BASIC Screwdriving bit.

Application: Safety screws, home appliances and power tools.

Type	Length	PU	Item nr.	€/ pc
SP 4	25	10	814.0004	2,50
SP 6	25	10	814.0006	2,50
SP 8	25	10	814.0008	2,50
SP 10	25	10	814.0010	2,50

815

PRO Bits | TW 25mm (Tri-wing)

ROTEC®



Execution: BASIC Screwdriving bit.

Application: Safety screws, home appliances and power tools.

Type	Length	PU	Item nr.	€/ pc
TW 1	25	10	815.0001	2,70
TW 2	25	10	815.0002	2,70
TW 3	25	10	815.0003	2,70
TW 4	25	10	815.0004	2,70
TW 5	25	10	815.0005	2,70
TW 6	25	10	815.0006	2,70
TW 7	25	10	815.0007	2,70

815

PRO Bits | TS 25mm (Torq-set)

ROTEC®



Execution: BASIC Screwdriving bit.

Application: Space and aviation industry.

Type	Length	PU	Item nr.	€/ pc
TS 1	25	10	815.1001	2,70
TS 2	25	10	815.1002	2,70
TS 3	25	10	815.1003	2,70
TS 4	25	10	815.1004	2,70
TS 5	25	10	815.1005	2,70
TS 6	25	10	815.1006	2,70
TS 8	25	10	815.1008	2,70
TS 10	25	10	815.1010	2,70

817

IMPACT Bits | PH 30mm (Phillips)

ROTEC®



Execution: BLACK-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
PH 1	30	10	817.0001	1,50
PH 2	30	10	817.0002	1,50
PH 3	30	10	817.0003	1,50

IMPACT Bits | PH 50mm (Phillips)

ROTEC®



Execution: BLACK-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
PH 1	50	5	817.0101	2,95
PH 2	50	5	817.0102	2,95
PH 3	50	5	817.0103	2,95

IMPACT Bits | PH 30mm (Phillips) | Diamond

ROTEC®



Execution: DIAMOND-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
PH 1	30	10	817.0201	3,50
PH 2	30	10	817.0202	3,50
PH 3	30	10	817.0203	3,50

IMPACT Bits | PH 50mm (Phillips) | Diamond

ROTEC®



Execution: DIAMOND-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
PH 1	50	5	817.0301	4,95
PH 2	50	5	817.0302	4,95
PH 3	50	5	817.0303	4,95

IMPACT Bits | PZ 30mm (Pozi)



Execution: BLACK-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€/ pc
PZ 1	30	10	817.1001	1,50
PZ 2	30	10	817.1002	1,50
PZ 3	30	10	817.1003	1,50

IMPACT Bits | PZ 50mm (Pozi)



Execution: BLACK-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€/ pc
PZ 1	50	5	817.1101	2,95
PZ 2	50	5	817.1102	2,95
PZ 3	50	5	817.1103	2,95

IMPACT Bits | PZ 30mm (Pozi) | Diamond



Execution: DIAMOND-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€/ pc
PZ 1	30	10	817.1201	3,50
PZ 2	30	10	817.1202	3,50
PZ 3	30	10	817.1203	3,50

IMPACT Bits | PZ 50mm (Pozi) | Diamond



Execution: DIAMOND-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€/ pc
PZ 1	50	5	817.1301	4,95
PZ 2	50	5	817.1302	4,95
PZ 3	50	5	817.1303	4,95

IMPACT Bits | TX 30mm (Torx)



Execution: BLACK-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
T 10	30	10	817.2010	2,00
T 15	30	10	817.2015	2,00
T 20	30	10	817.2020	2,00
T 25	30	10	817.2025	2,00
T 30	30	10	817.2030	2,00
T 40	30	10	817.2040	2,00

IMPACT Bits | TX 50mm (Torx)



Execution: BLACK-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
T 10	50	5	817.2110	3,50
T 15	50	5	817.2115	3,50
T 20	50	5	817.2120	3,50
T 25	50	5	817.2125	3,50
T 30	50	5	817.2130	3,50
T 40	50	5	817.2140	3,50

IMPACT Bits | TX 30mm (Torx) | Diamond



Execution: DIAMOND-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
T 10	30	10	817.2210	4,00
T 15	30	10	817.2215	4,00
T 20	30	10	817.2220	4,00
T 25	30	10	817.2225	4,00
T 30	30	10	817.2230	4,00
T 40	30	10	817.2240	4,00

IMPACT Bits | TX 50mm (Torx) | Diamond



Execution: DIAMOND-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
T 10	50	5	817.2310	5,50
T 15	50	5	817.2315	5,50
T 20	50	5	817.2320	5,50
T 25	50	5	817.2325	5,50
T 30	50	5	817.2330	5,50
T 40	50	5	817.2340	5,50

IMPACT Bits | SQD 30mm (Square, Robertson)



Execution: BLACK-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
SQD 1	30	10	817.3001	2,00
SQD 2	30	10	817.3002	2,00
SQD 3	30	10	817.3003	2,00

IMPACT Bits | SQD 50mm (Square, Robertson)



Execution: BLACK-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
SQD 1	50	5	817.3101	3,50
SQD 2	50	5	817.3102	3,50
SQD 3	50	5	817.3103	3,50

IMPACT Bits | SQD 30mm (Square, Robertson) | Diamond



Execution: DIAMOND-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
SQD 1	30	10	817.3201	4,00
SQD 2	30	10	817.3202	4,00
SQD 3	30	10	817.3203	4,00

IMPACT Bits | SQD 50mm (Square, Robertson) | Diamond



Execution: DIAMOND-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
SQD 1	50	5	817.3301	5,50
SQD 2	50	5	817.3302	5,50
SQD 3	50	5	817.3303	5,50

IMPACT Bits | Hex-socket 30mm (Allen)



Execution: BLACK-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
3,0	30	10	817.4003	2,00
4,0	30	10	817.4004	2,00
5,0	30	10	817.4005	2,00
6,0	30	10	817.4006	2,00

IMPACT Bits | Hex-socket 50mm (Allen)



Execution: BLACK-IMPACT Screwdriving bits for impact-screwdriving machines. The base for a perfectly tough and resilient screwdriving bit is the result of a combination of a hardened special steel and an optimised geometry. Ideal screwdriving bit for the toughest applications.

Type	Length	PU	Item nr.	€ / pc
3,0	50	5	817.4103	3,50
4,0	50	5	817.4104	3,50
5,0	50	5	817.4105	3,50
6,0	50	5	817.4106	3,50

IMPACT C-Ring bit holder



Execution: Magnetic impact bit holder with C-ring. Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Body	Item nr.	€ / pc
Magnetic	80	ø11 x 35	818.1010	12,95

IMPACT Bit holder | QuickFix II



Execution: Magnetic impact bit holder with quick change system. Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Body	Item nr.	€ / pc
Quick-Fix II	80	ø11 x 35	818.1060	19,95

IMPACT Bit holder | Twin



Execution: Magnetic impact bit holder with quick change system. Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Body	Item nr.	€ / pc
Impact TWIN	85	ø11 x 35	818.1070	24,95

818

Bit holder, without C-ring

ROTEC[®]



Execution: Magnetic bit holders without C-ring.
Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Body	Item nr.	€ / pc
Magnetic	60	ø10 x 35	818.0001	3,50

Bit holder, with C-ring

ROTEC[®]



Execution: Magnetic bit holders with C-ring.
Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Body	Item nr.	€ / pc
Magnetic	60	ø11 x 35	818.0010	4,50
Magnetic	74	ø11 x 35	818.0015	7,50
Magnetic	100	ø10 x 35	818.0025	14,95
Magnetic	150	ø10 x 35	818.0030	16,95
Magnetic	200	ø10 x 35	818.0035	17,95
Magnetic	250	ø10 x 35	818.0040	18,95

Stainless steel bit holder, with C-ring

ROTEC[®]



Execution: Non-magnetic bit holders with C-ring for stainless steel bits.
Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Item nr.	€ / pc
Non-magnetic	60	818.0017	4,50



Execution: Magnetic stainless steel bit holders with C-ring. Machined from one piece.
Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Body	Item nr.	€ / pc
Magnetic stainl.	74	ø9,6	818.0020	7,95



Execution: Magnetic bit holder with C-ring for drywall screws.
Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Item nr.	€ / pc
Magnetic	65	818.0045	9,95



Execution: Magnetic bit holder with C-ring.
SDS+ (ø10mm) shank.

Type	Length	Body	Item nr.	€ / pc
Magn. SDS-plus	85	ø10 x 35	818.0050	14,95

Bit holders, quick-lock



Execution: Magnetic quick-change bit holder.
Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Item nr.	€ / pc
QuickFix	60	818.0060	9,95



Execution: Magnetic quick-change bit holder with ball-joint (up to 20°).
Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Item nr.	€ / pc
ANGLE	65	818.0065	17,95



Execution: Magnetic quick-change bit holder. With ring magnet.
Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Item nr.	€ / pc
TWIN	65	818.0070	9,95



Execution: Magnetic quick-change bit holder. With magnet and ball-joint (up to 20°).
Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Item nr.	€ / pc
Magnetic	90	818.0067	21,28



Execution: Magnetic quick-change bit holder, extra long.
Hexagon shank according to DIN 3126-E6.3 (ISO 1173).

Type	Length	Item nr.	€ / pc
Magnetic	250	818.0085	21,28



Execution: Magnetic quick-change bit holder, extra long and flexible shaft.
Hexagon shank according to DIN 3126-E6.3 (ISO 1173).
Maximum torque allowed: 15 Nm.

Type	Length	Item nr.	€ / pc
Magnetic	225	818.0090	24,24



Execution: Bit holder, square to 1/4"-C6.3.

Drive	To	Item nr.	€ / pc
1/4" square (F)	DIN 3126-D6.3 (1/4")	818.5000	10,90
1/4" square (F)	DIN 3126-D6.3 (1/4")	818.5020	14,90



Execution: Quick-change bit holder, square to 1/4"-C6.3.

Drive	To	Item nr.	€/ pc
1/4" square (F)	DIN 3126-D6.3 (1/4")	818.5100	16,61
3/8" square (F)	DIN 3126-D6.3 (1/4")	818.5110	20,16
1/2" square (F)	DIN 3126-D6.3 (1/4")	818.5120	24,90

Bit screwdrivers, 2K



Execution: Magnetic bit screwdriver with ergonomical 2K (two-component) grip.

Type	Length	Execution	Item nr.	€/ pc
Magnetic	130	w/o C-ring	818.8000	9,95
Magnetic	230	w/o C-ring	818.8010	13,35



Execution: Magnetic bit screwdriver with ergonomical 2K (two-component) grip and Quick-Lock mechanism.

Type	Length	Execution	Item nr.	€/ pc
Magnetic	130	Quicklock	818.8020	12,30
Magnetic	230	Quicklock	818.8030	15,70



Execution: Magnetic bit screwdriver with ergonomical 2K (two-component) grip, C-ring and flexible shank.

Type	Length	Execution	Item nr.	€/ pc
Magnetic	310	Flexible	818.8040	21,28



Bit ratchet



Execution: Handy bi-directional magnetic bit ratchet for 1/4" screwdriving bit.

Type	Length	Item nr.	€/ pc
Magnetic	95	818.9001	26,72



Bit holder T-key



Type	Length	Item nr.	€/ pc
Magnetic	125	818.9500	9,28



816

PRO Bits 5/16 | PH 32mm (Phillips)

ROTEC®



Type	Length	PU	Item nr.	€ / pc
PH 1	32	1	816.0001	2,58
PH 2	32	1	816.0002	2,58
PH 3	32	1	816.0003	2,58
PH 4	38	1	816.0004	5,34



PRO Bits 5/16 | PZ 32mm (Pozi)

ROTEC®



Type	Length	PU	Item nr.	€ / pc
PZ 1	32	1	816.1001	2,58
PZ 2	32	1	816.1002	2,58
PZ 3	32	1	816.1003	2,58
PZ 4	38	1	816.1004	5,34



PRO Bits 5/16 | TX 32mm (Torx)

ROTEC®



Type	Length	PU	Item nr.	€ / pc
T 15	32	1	816.2015	3,80
T 20	32	1	816.2020	3,80
T 25	32	1	816.2025	3,80
T 27	32	1	816.2027	3,80
T 30	32	1	816.2030	3,80
T 40	32	1	816.2040	3,80
T 45	32	1	816.2045	3,80
T 50	32	1	816.2050	3,80
T 55	38	1	816.2055	6,20
T 60	38	1	816.2060	7,85



PRO Bits 5/16 | Hex-socket 32mm (Allen)

ROTEC®



Type	Length	PU	Item nr.	€ / pc
HEX 3	32	1	816.3003	3,70
HEX 4	32	1	816.3004	3,70
HEX 5	32	1	816.3005	3,70
HEX 6	32	1	816.3006	3,70
HEX 7	38	1	816.3007	3,70
HEX 8	38	1	816.3008	3,70
HEX 9	38	1	816.3009	5,90
HEX 10	38	1	816.3010	5,75



Quick-change bit holder 5/16"



Execution: Stainless steel magnetic quick-change bit holder.
Hexagon shank.

Type	Length	PU	Item nr.	€ / pc
Stainless	74	1	818.9200	19,16



819

Magnetic hex-socketS with 1/4" drive, metric

ROTEC®



Size	Length	Drive	Item nr.	€/ pc
5	50	DIN 3126-E6.3 (1/4")	819.0050	3,56
5,5	50	DIN 3126-E6.3 (1/4")	819.0055	3,56
6	50	DIN 3126-E6.3 (1/4")	819.0060	3,56
7	50	DIN 3126-E6.3 (1/4")	819.0070	3,68
8	50	DIN 3126-E6.3 (1/4")	819.0080	3,68
9	50	DIN 3126-E6.3 (1/4")	819.0090	3,84
10	50	DIN 3126-E6.3 (1/4")	819.0100	3,84
11	50	DIN 3126-E6.3 (1/4")	819.0110	3,84
12	50	DIN 3126-E6.3 (1/4")	819.0120	4,04
13	50	DIN 3126-E6.3 (1/4")	819.0130	4,04
14	50	DIN 3126-E6.3 (1/4")	819.0140	9,40
17	65	DIN 3126-E6.3 (1/4")	819.0170	9,40
19	65	DIN 3126-E6.3 (1/4")	819.0190	9,40



Size	Length	Drive	Item nr.	€/ pc
1/4"	50	DIN 3126-E6.3 (1/4")	819.1010	3,56
5/16"	50	DIN 3126-E6.3 (1/4")	819.1020	3,68
3/8"	50	DIN 3126-E6.3 (1/4")	819.1030	3,84

Hex-socketS with 1/4" drive, metric



Size	Length	Drive	Item nr.	€/ pc
5	50	DIN 3126-E6.3 (1/4")	819.2050	3,88
5,5	50	DIN 3126-E6.3 (1/4")	819.2055	3,88
6	50	DIN 3126-E6.3 (1/4")	819.2060	3,88
7	50	DIN 3126-E6.3 (1/4")	819.2070	4,00
8	50	DIN 3126-E6.3 (1/4")	819.2080	4,00
9	50	DIN 3126-E6.3 (1/4")	819.2090	4,00
10	50	DIN 3126-E6.3 (1/4")	819.2100	4,24
11	50	DIN 3126-E6.3 (1/4")	819.2110	4,24
12	50	DIN 3126-E6.3 (1/4")	819.2120	4,44
13	50	DIN 3126-E6.3 (1/4")	819.2130	4,44



Size	Length	Drive	Item nr.	€/ pc
1/4"	50	DIN 3126-E6.3 (1/4")	819.3010	3,88
5/16"	50	DIN 3126-E6.3 (1/4")	819.3020	4,00
3/8"	50	DIN 3126-E6.3 (1/4")	819.3030	4,24



Size	Length	Drive	Item nr.	€/ pc
8	65	SDS-plus	819.5080	9,63
9	65	SDS-plus	819.5090	9,63
10	65	SDS-plus	819.5100	9,63
11	65	SDS-plus	819.5110	9,87
12	65	SDS-plus	819.5120	9,87
13	65	SDS-plus	819.5130	10,26
14	65	SDS-plus	819.5140	10,68
17	65	SDS-plus	819.5170	11,43



Size	Length	Drive	Item nr.	€/ pc
5/16"	65	SDS-plus	819.5010	10,26
3/8"	65	SDS-plus	819.5030	10,68

Stud drivers



Application: Handy accessory for placing of stud screws.

Size	Length	Drive	Item nr.	€ / pc
M6	50	DIN 3126-E6.3 (1/4")	819.6006	10,68
M8	50	DIN 3126-E6.3 (1/4")	819.6008	11,20
M10	50	DIN 3126-E6.3 (1/4")	819.6010	12,16

Hex-socket screwdriver 2K



Execution: Chrome plated hex-socket driver with ergonomical 2K (two-component) grip.

Size	Length	Item nr.	€ / pc
3	125	819.6030	10,68
3,5	125	819.6035	10,68
4	125	819.6040	10,68
4,5	125	819.6045	10,68
5	125	819.6050	10,68
5,5	125	819.6055	10,68
6	125	819.6060	10,68
7	125	819.6070	11,64
8	125	819.6080	11,70
9	125	819.6090	11,82
10	125	819.6100	11,88
11	125	819.6110	14,40
12	125	819.6120	14,52
13	125	819.6130	15,72
14	125	819.6140	16,02
15	125	819.6150	16,56
16	125	819.6160	16,86
17	125	819.6170	17,34



Execution: Hex-socket driver with flexible shaft and ergonomical 2K (two-component) grip.

Size	Length	Item nr.	€ / pc
5	150	819.7050	21,12
5,5	150	819.7055	21,12
6	150	819.7060	21,12
7	150	819.7070	21,12
8	150	819.7080	21,12
9	150	819.7090	22,26
10	150	819.7100	22,26

820

Adapters 1/4"-C6.3 > 1/4" 4-knt. w. ball



Attention: Only for manual use!

Drive	To	Item nr.	€ / pc
1/4"-C6.3	1/4" square (ball)	820.0010	3,98



Attention: Only for manual use!

Drive	To	Item nr.	€ / pc
1/4"-E6.3	1/4" square (ball)	820.0020	4,39

Drive	To	Item nr.	€ / pc
1/4"-E6.3	1/4" square (pin)	820.0030	4,58



Drive	To	Item nr.	€ / pc
1/4"-E6.3	1/4" square (pin)	820.0040	5,81



Drive	To	Item nr.	€ / pc
1/4"-E6.3	3/8" square (pin)	820.0050	7,42



Drive	To	Item nr.	€ / pc
1/4"-E6.3	1/2" square (pin)	820.0060	7,80



Drive	To	Item nr.	€ / pc
SDS-plus	1/4" square (pin)	820.0070	11,28



Drive	To	Item nr.	€ / pc
SDS-plus	3/8" square (pin)	820.0080	12,60



Drive	To	Item nr.	€ / pc
SDS-plus	1/2" square (pin)	820.0090	13,26



825 PRO Bit clips 1/4", Basic



1, 2 and 3



1, 2 and 3



15, 20, 25 and 30

Execution: Easy to attach to a belt. Including magnetic bit holder.

Description	Item nr.	€ / pc
11 piece clip w. PRO-Bits, BASIC	825.0010	14,95



1, 2 and 3



1, 2 and 3



15, 20, 25 and 30



Execution: Easy to attach to a belt. Including non-magnetic bit holder.

Description	Item nr.	€ / pc
11 piece clip w. PRO-Bits, TiN	825.0020	22,50



1, 2 and 3



1, 2 and 3



15, 20, 25 and 30



Execution: Easy to attach to a belt. Including magnetic bit holder.

Description	Item nr.	€ / pc
11 piece clip w. PRO-Bits, ANTI-COR	825.0030	26,50



1, 2 and 3



1, 2 and 3



15, 20, 25 and 30



Execution: Easy to attach to a belt. Including magnetic bit holder.

Description	Item nr.	€ / pc
11 piece clip w. PRO-Bits, DIAMOND	825.0040	34,95

827 ECO Bits PH 25mm (Phillips)



Execution: Economy type screwdriving bit.

Type	Length	PU	Item nr.	€ / pack
PH 1	25	25	827.0105	7,95
PH 2	25	25	827.0205	7,95
PH 3	25	25	827.0305	7,95

ECO Bits PH 25mm (Phillips), for drywall screws



Execution: Economy type screwdriving bit with metal collar.

Type	Length	PU	Item nr.	€ / pack
PH 2	25	1	827.1000	1,95
PH 2	25	10	827.1005	14,95

ECO Bits PZ 25mm (Pozi)

Execution: Economy type screwdriving bit.



Type	Length	PU	Item nr.	€ / pack
PZ 1	25	25	827.1105	7,95
PZ 2	25	25	827.1205	7,95
PZ 3	25	25	827.1305	7,95

ECO Bits SL 25mm (Sleuf)

Execution: Economy type screwdriving bit.



Type	Length	PU	Item nr.	€ / pack
SL 0,5	25	25	827.2405	7,95
SL 0,6	25	25	827.2455	7,95
SL 0,8	25	25	827.2555	7,95
SL 1,0	25	25	827.2605	7,95
SL 1,2	25	25	827.2655	7,95
SL 1,6	25	10	827.2805	7,95

ECO Bits TX 25mm (Torx)

Execution: Economy type screwdriving bit.



Type	Length	PU	Item nr.	€ / pack
T 15	25	25	827.3155	8,25
T 20	25	25	827.3205	8,25
T 25	25	25	827.3255	8,25
T 27	25	25	827.3275	8,25
T 30	25	25	827.3305	8,25
T 40	25	25	827.3405	8,25

ECO Bits HEX 25mm (Inbus)

Execution: Economy type screwdriving bit.



Type	Length	PU	Item nr.	€ / pack
3	25	25	827.4305	8,25
4	25	25	827.4405	8,25
5	25	25	827.4505	8,25
6	25	25	827.4605	8,25
7	25	25	827.4705	8,25
8	25	25	827.4805	8,25

ECO Bits SQD 25mm (Square, Robertson)

Execution: Economy type screwdriving bit.



Type	Length	PU	Item nr.	€ / pack
SQ 2	25	25	827.6205	7,95

ECO Bitsets, 1/4" (PH, PZ en SL), quick-lock



1, 2 and 3



1, 2 and 3



4, 4,5 and 5,5

Application: Screwdriving bit sets in variety of compositions, stored in a lockable and shockproof plastic box. Handy size for easy storage. Including Quick-Lock bit holder.

Description	Item nr.	€ / set
10 piece clip w. ECO-bits (PH, PZ and SL)	827.9000	11,50



10, 15, 20, 20, 25
25, 30, 30 and 40

Application: Screwdriving bit sets in variety of compositions, stored in a lockable and shockproof plastic box. Handy size for easy storage. Including Quick-Lock bit holder.

Description	Item nr.	€ / set
10 piece clip w. ECO-bits (TX)	827.9010	11,95



1 and 2



1 and 2



10, 15, 20 and 25



0.6x4.5

Application: Screwdriving bit sets in variety of compositions, stored in a lockable and shockproof plastic box. Handy size for easy storage. Including Quick-Lock bit holder.

Description	Item nr.	€ / set
10 piece clip w. ECO-bits (PH, PZ, TX and SL)	827.9020	11,95



1, 2 and 3



1, 2 and 3



0,5x4,0
0,6x4,5
0,8x5,5

Application: Screwdriving bit sets in variety of compositions, stored in a lockable and shockproof plastic box. Handy size for easy storage. Including Quick-Lock bit holder.

Description	Item nr.	€ / set
10 piece clip w. ECO-bits (PH, PZ and SL)	827.9030	9,50

ECO Bit holders, magnetic

Application: Magnetic bitholder, suitable for all 1/4" size screwdriving bits.



Type	Length	Item nr.	€ / pc
Magnetic	60	827.9500	3,75

Application: Magnetic quick-change bitholder, suitable for all 1/4" size screwdriving bits.



Type	Length	Item nr.	€ / pc
Quick-Lock	60	827.9510	5,95

Application: Magnetic quick-change bitscrewdriver, suitable for all 1/4" size screwdriving bits.



Type	Length	Item nr.	€ / pc
Quick-Lock	130	827.9520	8,45

828

ECO Power bits PH 50mm (Phillips)

ROTEC®



Execution: Economy type screwdriving bit.

Type	Length	PU	Item nr.	€/ pack
PH 1	50	10	828.0105	5,50
PH 2	50	10	828.0205	5,50
PH 3	50	10	828.0305	5,50

ECO Power bits PZ 50mm (Pozi)

ROTEC®



Execution: Economy type screwdriving bit.

Type	Length	PU	Item nr.	€/ pack
PZ 1	50	10	828.1105	5,50
PZ 2	50	10	828.1205	5,50
PZ 3	50	10	828.1305	5,50

ECO Power bits SL 50mm (Sleuf)

ROTEC®



Execution: Economy type screwdriving bit.

Type	Length	PU	Item nr.	€/ pack
SL 0,5	50	10	828.2405	5,50
SL 0,6	50	10	828.2455	5,50
SL 0,8	50	10	828.2555	5,50
SL 1,0	50	10	828.2605	5,50
SL 1,2	50	10	828.2655	5,50
SL 1,6	50	10	828.2805	5,50

ECO Power bits TX 50mm (Torx)

ROTEC®



Execution: Economy type screwdriving bit.

Type	Length	PU	Item nr.	€/ pack
T 10	50	10	828.3105	5,75
T 15	50	10	828.3155	5,75
T 20	50	10	828.3205	5,75
T 25	50	10	828.3255	5,75
T 27	50	10	828.3275	5,75
T 30	50	10	828.3305	5,75
T 40	50	10	828.3405	5,75
T 50	50	10	828.3505	6,00

ECO Power bits SQD 50mm (Square, Robertson)

ROTEC®



Execution: Economy type screwdriving bit.

Type	Length	PU	Item nr.	€/ pack
SQ 2	50	10	828.6205	5,50

878

Hex-keys (Allen keys), metric, short



Execution: Blued hex-keys (Allen keys).
Short types, metric sizes, according to ISO 2936 (DIN 911).

Type	Size	Execution	Item nr.	€ / pc
1,5	44	Blued	878.0015	0,14
2,5	55	Blued	878.0025	0,14
3,0	63	Blued	878.0030	0,16
4,0	70	Blued	878.0040	0,24
5,0	80	Blued	878.0050	0,32
6,0	90	Blued	878.0060	0,44
7,0	95	Blued	878.0070	0,68
8,0	100	Blued	878.0080	0,76
9,0	105	Blued	878.0090	1,20
10,0	112	Blued	878.0100	1,44

Type	Size	Execution	Item nr.	€ / pc
11,0	118	Blued	878.0110	1,88
12,0	125	Blued	878.0120	2,08
14,0	140	Blued	878.0140	3,44
17,0	160	Blued	878.0170	6,12
19,0	180	Blued	878.0190	9,20
22,0	200	Blued	878.0220	15,04
24,0	224	Blued	878.0240	19,00
27,0	255	Blued	878.0270	26,40
32,0	315	Blued	878.0320	45,04
36,0	355	Blued	878.0360	64,68

Hex-key sets (Allen key sets), metric, short



Execution: Handy set nickel plated hex-keys (Allen keys) in a compact holder.
Short types, metric sizes, according to ISO 2936 (DIN 911).

Description	Content	Item nr.	€ / set
9 piece set Alle-keys	1x 1½, 2, 2½, 3, 4, 5, 6, 8 and 10mm	878.4003	9,16

Hex-key sets (Allen key sets), imperial, short



Execution: Handy set nickel plated hex-keys (Allen keys) in a compact holder.
Short types, imperial sizes, according to ISO 2936 (DIN 911).

Description	Content	Item nr.	€ / set
10 piece set Alle-keys	1x 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"	878.9006	8,37

880

Hex-key sets (Allen key sets), metric, long



Execution: Handy set nickel plated hex-keys (Allen keys) in a compact holder.
Long types, metric sizes, according to ISO 2936 L (DIN 911 L).

Description	Content	Item nr.	€ / set
9 piece set Alle-keys, long	1x 1½, 2, 2½, 3, 4, 5, 6, 8 en 10mm	880.4003	12,11

882

Hex-keys (Allen keys), metric, long, ball nose

ROTEC®



Execution: Nickel plated hex-keys (Allen keys), long side with ball end. Long types, metric sizes, according to ISO 2936 L (DIN 911 L).

Type	Size	Execution	Item nr.	€ / pc
1,5	90	Nickel plated	882.0015	0,88
2,0	100	Nickel plated	882.0020	0,92
2,5	112	Nickel plated	882.0025	0,96
3,0	126	Nickel plated	882.0030	1,04
4,0	140	Nickel plated	882.0040	1,40
5,0	160	Nickel plated	882.0050	1,56
6,0	180	Nickel plated	882.0060	1,92

Type	Size	Execution	Item nr.	€ / pc
7,0	190	Nickel plated	882.0070	2,60
8,0	200	Nickel plated	882.0080	3,04
10,0	224	Nickel plated	882.0100	4,72
12,0	250	Nickel plated	882.0120	6,96
14,0	280	Nickel plated	882.0140	10,80
17,0	320	Nickel plated	882.0170	18,40
19,0	360	Nickel plated	882.0190	25,56

Hex-key sets (Allen key sets), metric, long, ball nose

ROTEC®



Execution: Handy set nickel plated hex-keys (Allen keys) in a compact holder. Long types, ball-nose, metric sizes, according to ISO 2936 (DIN 911).

Description	Content	Item nr.	€ / set
9 piece set Allen-keys, ball end	1x 1½, 2, 2½, 3, 4, 5, 6, 8 and 10mm	882.4003	18,13

Hex-keys (Allen keys), imperial, long, ball nose

ROTEC®



Execution: Nickel plated hex-keys (Allen keys), long side with ball end. Long types, imperial sizes, according to BS 2470

Type	Size	Execution	Item nr.	€ / pc
1/16	90	Nickel plated	882.5001	0,96
5/64	100	Nickel plated	882.5005	1,00
3/32	112	Nickel plated	882.5007	1,08
7/64	126	Nickel plated	882.5009	1,12
1/8	126	Nickel plated	882.5011	1,56
5/32	140	Nickel plated	882.5015	1,68
3/16	160	Nickel plated	882.5017	2,08
7/32	170	Nickel plated	882.5019	2,84
1/4	180	Nickel plated	882.5021	3,32
9/32	190	Nickel plated	882.5022	5,12
5/16	200	Nickel plated	882.5023	7,60
3/8	224	Nickel plated	882.5025	11,76
1/2	250	Nickel plated	882.5029	20,04
9/16	280	Nickel plated	882.5031	27,88

Hex-key sets (Allen key sets), imperial, long, ball nose

ROTEC®



Execution: Handy set nickel plated hex-keys (Allen keys) in a compact holder. Long types, ball-nose, imperial sizes, according to BS 2470.

Description	Content	Item nr.	€ / set
10 piece set Allen-keys, ball end	1x 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"	882.9006	23,52



Execution: Nickel plated torx-keys, long types.

Type	Size	Execution	Item nr.	€ / pc
T5	84	Nickel plated	890.2005	2,88
T6	84	Nickel plated	890.2006	2,72
T7	96	Nickel plated	890.2007	2,72
T8	96	Nickel plated	890.2008	2,72
T9	96	Nickel plated	890.2009	2,72
T10	100	Nickel plated	890.2010	2,72
T15	108	Nickel plated	890.2015	2,84
T20	114	Nickel plated	890.2020	2,92
T25	126	Nickel plated	890.2025	3,04
T27	134	Nickel plated	890.2027	3,12
T30	140	Nickel plated	890.2030	3,32
T40	152	Nickel plated	890.2040	3,80
T45	170	Nickel plated	890.2045	5,84
T50	190	Nickel plated	890.2050	5,12
T55	216	Nickel plated	890.2055	7,72
T60	240	Nickel plated	890.2060	10,72

Torx-key set, long types



Execution: Handy set nickel plated torx-keys in a compact holder. Long types.

Description	Content	Item nr.	€ / set
8 piece set Torx-keys, long	1x 9, 10, 15, 20, 25, 27, 30 and 40	890.1001	18,73

Torx-key set, long types, ball nose



Execution: Handy set nickel plated torx-keys in a compact holder. Long types with ball-nose.

Description	Content	Item nr.	€ / set
8 piece set Torx-keys, long, ball-end	1x 9, 10, 15, 20, 25, 27, 30 and 40	890.5001	30,52

